

Teléfono IP de gama alta

KX-NT553

Teléfono de escritorio con LCD de 3 líneas



KEY FEATURES

- Pantalla LCD retroiluminada de 3 líneas
- 12x2 botones programables flexibles autoetiquetables
- 2 puertos Ethernet gigabit (1000 Base-T)
- Alimentación a través de Ethernet (PoE)
- Modo eco

Una gama de opciones para responder a las necesidades de su empresa. Máximo rendimiento a través de una conexión gigabit.

El teléfono IP KX-NT553 ofrece un rendimiento profesional excepcional. Con una excelente calidad de audio HD integrada combinada con acceso sencillo a funciones y aplicaciones de ayuda. El diseño ultramoderno y elegante, disponible en color blanco y negro, combina con cualquier decoración de oficina.

El KX-NT553 integra un gran número de funciones, y no podría resultar más sencillo de utilizar, con un puerto LAN/PC gigabit que responde a las crecientes necesidades de las redes IP de oficina y una función de autoetiquetado para facilitar la configuración inicial y el mantenimiento a distancia. También admite conectividad DSS para usuarios de tipo operador.

Audio de alta definición

El KX-NT553 ofrece la mejor calidad audio de su categoría, lo que se traduce en menos conversaciones repetidas y menos dificultades para oír las llamadas. Junto con la función de cancelación de eco mejorada y una cámara acústica ampliada, el KX-NT553 ofrece una experiencia de audio superior a los usuarios a través del auricular, el altavoz y los cascos opcionales. También incluye compatibilidad para banda ancha, auriculares compatibles con audífonos y altavoz y micrófonos de alta calidad integrados.

Conmutador electrónico para control de llamadas

Un puerto EHS (conmutador electrónico para control de llamadas) compatible con Plantronics permite al KX-NT553 disponer de acceso a la gama Plantronics de teléfonos habilitados para DECT. Esta característica ofrece portabilidad y comodidad, ya que permite a los usuarios moverse libremente sin necesidad de estar atados a los teléfonos de escritorio.

Sin necesidad de etiquetas de papel (autoetiquetado) – DESI-less

Posibilidad de grabar hasta 24 números. Como los números se muestran en la pantalla, no se precisa el uso de etiquetas de papel.

SPECIFICATIONS

LCD (Main) Type	Graphic
LCD (Main) Dots (W x H)	242 x 55
LCD (Main) Line	3
LCD (Main) Character	24/line
LCD (Main) Backlight	Yes (On/Automatic/Off)
LCD Main Contrast	4 levels
LCD (Self-Labeling) Type	Character
LCD (Self-Labeling) Dots (W x H)	8 dot (W) x 16 dot (H)/Character
LCD (Self-Labeling) Line	12
LCD (Self-Labeling) Character	12/line
LCD (Self-Labeling) Backlight	Yes (Synchronized Main LCD)
LCD Self-Labeling Contrast	4 levels
Ethernet Port	2-Gigabit Ethernet port
Handset	Wideband compliant Hearing aid compatibility (HAC)
Headset Port	Yes (2.5 mm audio jack)
Electronics Hook Switch (EHS)	Yes*1 (3.5 mm audio jack)
Speakerphone	Yes (Full Duplex) IEEE 1329 compatible
Micrófono	Yes
Option Unit Connection	Yes (Add-on 48 key module)
Bluetooth (for Headset)	No
PoE	Yes (Class 3)
Adaptador de CA	Yes (Option)
Wall Mount Kit	Yes (Option)
Dimension (W x D x H mm)	HIGH: 267 x 170 x 180 LOW: 267 x 187 x 155
FF Keys	24 (12 x 2 pages)
Page Key	Yes
Soft Keys	4
0-9, *, # Keys	Yes
Redial Key	Yes
Flash/Recall Key	Yes
Hold Key	Yes
SP-Phone Key	Yes
Auto Answer/Mute Key	Yes
Auto Dial/Store Key	Yes
Transfer Key	Yes
Intercom Key	Yes

Pause Key	Yes
CONF Key	Yes
FWD/DND Key	Yes
Message Key	Yes
Navigator Key	Yes*2
4-Directions Key	No
Cancel Key	Yes
Program Key	No
LED Message/Ringer Lamp	Yes (Green/Red)
LED FF Keys	Yes (Green/Red)
LED Intercom	Yes (Green)
LED SP-Phone	Yes (Red)
LED Auto Answer/Mute	Yes (Red)
LED Auto Dial/Store	Yes (Red)
LED CONF	Yes (Red)
LED FWD/DND	Yes (Red)
Self-Labeling (Desi-Less)	Yes
Auto Redial	Yes*3
Off-Hook Monitor	Yes
Handset/Headset Mic Mute	Yes
Speakerphone Mic Mute	Yes
Phone Directory	Yes
Feature Access	Yes
Outgoing Call Log	Yes
Incoming Call Log	Yes
Melody Ringer	10 title
Tone Through	No
Firmware Upload	Yes
Peer-to-Peer Connection	Yes
VLAN	Yes
QoS (DiffServ)	Yes
DHCP Client	Yes
Audio Codec	Yes (G.722/G.711 (A-law/u-law)/G.729A)
VoIP Security	Yes*4
Ping Transmission	Yes
IP Port Flexibility	Yes
IPv6	No
Query/Announce	Yes
FTP	Yes
PTAP	Yes
MGCP	Yes
RTP	Yes
Rerouting to Secondary PBX	Yes
Media Relay Gateway	Yes

XML Application	No
LLDP-MED	Yes
System Programming	Yes
Station Programming	Yes
Local Programming	Yes*5
Electric Volume Headset	6 levels
Electric Volume Handset	6 levels
Electric Volume Speakerphone	8 levels
Electric Volume Ringer	4 + Off
Tones/Music Ring Tone	30
Tones/Music on Hold	No (Tone)
ECO Mode	Yes
Ethernet Speed/Duplex	Yes (Auto/10M-Full/10M-Half/100M-Full/100M-Half)
Footnote	<p>*1 Compatible with Plantronics serial bus (PSB) *2 Both Navigator Key and 4-Directions Key are a kind of arrow-key. Navigator Key has ENTER button but 4-Directions Key does not have ENTER button. *3 Auto Redial feature is available on digital CO. *4 This is the authentication method which prevents malevolent people from spoofing. *5 Local Programming items (IP Address/Subnetmask/Default Gateway/MAC Address (Only display)/MGCP Server IP Address/Ping send etc.). Language: only English</p>

URL: <https://business.panasonic.es/soluciones-de-comunicacion/kx-nt553>

CONTACT

Web: <https://business.panasonic.es/soluciones-de-comunicacion/contact-us>